

A

- Abortion. *See* Termination of pregnancy (TOP)
- Abuse history, psychiatric and polysubstance, 272–273
- Academic environments, changes in, 6
- Acetaminophen (Tylenol), 157–158, 187, 206
- Acetaminophen/hydrocodone (Lortab), 548
- Acetaminophen/oxycodone hydrochloride (Percocet), 217, 221, 234
- Acetophen with Codein (Tylenol), 116
- Acetylsalicylic acid (ASA), 446
- Acetylsalicylic acid (Aspirin), 338–339, 393, 401, 407, 428, 532, 546
- Acute Bipolar I disorder, 287–301. *See also* Bipolar disorder
- Acute care settings, DNP approach, 320–322
- Acute Cathertization and Urgent Intervention Triage (ACUTE), 437
- Addendum
 - anesthesia evaluation, 522–524
 - complex comorbid conditions, 383
 - early fetal demise, 476
 - total knee replacement, 544
 - traumatic brain injury, 114
- Addiction, 251–264
- Admission for surgery, total knee replacement, 537
- Admission management, 320
- Admission note, 320–321
- Admission to inpatient psychiatry, acute bipolar I disorder, 296
- Admission to NICU, congenital lung anomaly, 126–127
- Admitting orders, early fetal demise, 463–464
- Adolescent care approach, 73–77
- Adolescents, 99–118, 139–159
 - causes of death, 149
 - dietary habits, 144
 - stressors, 149
- Adult care, 319–324
 - comprehensive, DNP approach, 323–324
- Advanced Practice Nurses (APN), 30, 245–246
- Advisors. *See* Mentors
- African Americans
 - female, 139–159, 287–301
 - male, 305–312, 487–506
- Alarms, deactivation of, 411
- Albuterol (AccuNeb), 188, 199
- Albuterol inhaler (Proventil), 209, 217, 235, 398, 405, 412–413
- Albuterol inhaler (Ventolin), 532, 545
- Alcohol abuse, 308, 347–350. *See also* Substance abuse
- Alcoholics Anonymous, 350–351
- Alcohol intoxication, 81–94
- Allergic rhinitis medication, 506

Alprazolam (Xanax), 271, 277, 284
Alternate plans of anesthesia, 487–506
Amenorrhea, 139–159
American Association of Colleges of Nursing (AACN), 30
 essential competencies, 15–26t
American Association of Nurse Anesthetists (AANA), 479–480
American Board of Comprehensive Care, 247
American Cancer Society transportation grants, 226
American Nurses Association (ANA), 47
American Society of Anesthesiologists/Physical Status (ASA/PS) classification system, 495
Amnesia, 347
Amnesic episodes, 81–94
Amniocentesis, 366–367
Amputations, 215–218
Analgesia pump, patient controlled, 498
Analgesics, 539, 547–548
Anemia medication, 507
Anesthesia, emergence from, 502–502, 519
Anesthesia care, atypical plasma cholinesterase, 518–522
Anesthesia care during procedure, anesthesia evaluation, 498–502
Anesthesia evaluation, 487–506
 procedure, 500
Anesthesia management, 479–484
 total knee replacement, 525–545
Anesthesia plan, alternate, 487–506
Anesthesia risk classification, 495–496
Anesthesiologist–surgeon cooperation during surgery, 498
Anesthetics, 415, 417, 420, 508–510, 525–526
 intravenous, 541
Anesthetic techniques and drugs, cardiac effects, 538–539
Anger, 275
Angina, unstable, 423–446
Angina medication, 414, 418, 446
Antacid medication, 239
Anti-arrhythmic medication, 509
Antibacterial medicine, 158
Antibiotic medication, 235–236
Anticipatory guidance and care, complex comorbid conditions, 366–368, 374, 382–383
Anticoagulants, 546
Anticoagulation medication, 209, 421
Anticoagulation therapy, 541
Anticoagulation therapy recommendation, 536
Anticoagulents, 338
Antidepressants, 278–279
Antidepressant therapy, 542
Antihyperglycemic medication, 509

Anti-inflammatory medication, 546
Antisocial personality disorder, 308
Anxiety, 253–254, 272, 275, 289–301, 343
Anxiety medication, 264–265, 284
Applying evidence, 53–54
Appraising evidence, 51–53
Aripiprazole (Abilify), 278–279, 284–285
Ashkenazi Jews, 459
Aspirin (Ecotrin), 174, 182, 378, 383–384, 444
Assessment
 anesthesia evaluation, 502–503, 504–505, 518–520
 congenital lung anomaly, 124–125, 127–128
 early fetal demise, 464, 466, 467, 470, 472
 psychiatric and polysubstance abuse, 277, 279–280
 secondary amenorrhea, 147–148, 154
 suspected sexual assault, 87–88
Assumption of care, total knee replacement, 537–538
Asthma, 362, 370, 378
 during pregnancy, 364–365
Asthma medication, 235, 384, 418
Atenolol (Tenormin), 532, 546
Atherosclerotic event reduction medication, 339
Atorvastatin (Lipitor), 173–174, 182, 426, 428, 441, 443, 447
Atrial fibrillation, 537–539, 541
Attending physician consult, 406–407
Attention deficit disorder medication, 413
Attention deficit hyperactivity disorder (ADHD), 271–272, 277
Atypical plasma cholinesterase, 513–526
 detection and treatment, 523–524
Autonomy, patient, 497
Avonex side effect reduction medication, 353
Azithromycin (Zithromax), 96, 235–236

B

Babies, stillborn, 468–474
Baclofen (Lioresal), 187, 193, 207
Bacterial vaginosis medication, 96
Bare metal stents (BMS), 441
Barricading in the house, 290
Behavior, changes in, 290
Behavioral changes in chronic illness, 165
Benzodiazepines, 265
Benzodiazepine abuse, 308
Benzodiazepine dependence, 307
Bereavement counseling and support, 465, 468, 470–472, 542–543
Beta-blockades during surgery, 499

Beta-blocker medication, 546
Bioethics, 148, 156, 411
Bioinformatics, 68–69
Bipolar disorder, 269–283, 287–301
 and depression, 277
 in families, 276–277
 support groups, 278
 type II, 254, 256
Bipolar disorder medication, 284–285, 302
Birth centers, 367, 375
 eligibility decision, 370
Birth control. *See* Contraception; Contraceptives, oral
Bisacodyl (Ducolax), 187, 209
Bivalirudin (Angiomax), 433, 437, 438
Blacking out, 347
Blacks (people). *See* African Americans
Bleeding time prolonged after surgery, 397
Blood alcohol testing, 87–88
Blood clots, spontaneous, 326
Blood coagulation disorders, 325–340
Blood glucose control, 548
Bloodless surgery, 496
Blood loss during surgery, 498, 501, 503
Blood pressure medication, 181
Blood transfusions and Jehovah's Witnesses, 491, 496
Bone chips, 106
Bone-on-bone condition, 532
Brain herniation, 407
Brain infarcts, 409
Brain injuries, 99–118, 387–412
Breath, shortness of, 423–446
Bronchodilation medication, 209
Bronchospasm medication, 413
Bullet fragments, 106
Bupivacaine (Marcaine), 539, 546
Bupropion (Wellbutrin SR), 271, 277, 283, 413
Buttock pain, 187–205

C

Caesarean sections, 121–122
Calcification of aortic arch, 392, 395
Calcium chloride, 506
Calculations for fluid replacement, 502
Cancer, 213–234, 425
Cancer medication, 158, 236–239
Cancer patients, emotional difficulties, 247

- Cardiac catheterization, 432, 435, 441, 536
- Cardiac catheterization results, 389t
- Cardiac consultation, 536
- Cardiac imaging, 538
- Cardiac rehabilitation, 443–444
- Cardiology consult
 - congenital lung anomaly, 129
 - total knee replacement, 537, 541
 - unstable angina, 425
- Cardiothoracic intensive care unit (CTICU), 388–412
- Care, withdrawal of, 407, 409
- Care previously provided, congenital lung anomaly, 121
- Carvedilol (Coreg), 174, 182
- Case managers, 290, 298
- Case narrative format, 39–46, 481–484
- Case narratives
 - competency defence, example, 44–45
 - critical appraisal, example, 43–44
 - encounter context, example, 41–42
 - evaluation, 57–69
 - evidence, citing and leveling, example, 43
 - evidence-based practice in writing, 47–54
 - introduction, example, 40
 - patient encounters, example, 40
 - performance objectives, example, 43–44
 - privacy in contents, 39–40
 - purpose, 38–39
 - residency log, 60–67
 - structure and format, 37–46
 - style, 46
 - summary, example, 40
 - summary note, example, 44–45
 - summary of care, example, 41
- Case summation
 - acute bipolar I disorder, 300–301
 - anesthesia evaluation, 522
 - congenital lung anomaly, 134
 - quadriplegia and chronic pain, 205
 - secondary amenorrhea, 155–157
- Case summation example, 44–45
- Catastrophic brain injuries, 387–412
- Catheterization, 500
- Cause of death, postnatal testing for, 471
- Cefazolin (Ancef), 116–117, 236
- Celecoxib (Celebrex), 532, 546
- Cell savage, 496–497

Cell Saver blood, 392
Ceftriaxone Sodium (Rocephin), 95
Center for Advanced Practice (CAP), 6–7
Centre for Evidence-Based Medicine (CEBM), 51–54, 52t
 format for case narratives, 481–484
Cerebral edema, 405, 409
Certified Registered Nurse Anesthetists (CRNAs), 479–484
Cetirizine hydrochloride (Zyrtec), 490, 506
Chemotherapy, 215–216, 425
Chest pain upon exertion, 431–432
Chest pressure, 423–446
Chest x-rays, 127
Chief complaint (CC), hospital admission note, 320
Child protection consultation, traumatic brain injury, 109
Child protection team, 107
Children, 73–159. *See also* Adolescents; Neonates; Pediatrics
 school-age, 75
Chlamydia medication, 96
Chlorhexidine gluconate (Peridex), 393, 398, 401, 405, 407, 413
Cholesterol medication, 182, 415
Chondrosarcoma, 213–134
 definition, 216
Choosing potential cases for case narratives, 481
Chronic Care Model (CCM), 166–167
Chronic conditions, 245–248
Chronic illness
 caring for, 163–240
 definition, 165
 DNP approach to, 163–167
 management, 166
Chronic lymphocytic leukemia (CLL), 425–426, 431–432, 434
Chronic obstructive pulmonary disease (COPD), 531–533
Chronic pain, 185–210
Church. *See* Religious beliefs
Circulatory arrest, 389–395, 392
Citalopram (Celexa), 257, 259, 261, 264–265
Class presentations, 57–58
Clindamycin (Cleocin), 506
Clinical impression. *See* Impression
Clinical trials comparing NPs and primary care MDs, 5–8
Clonazepam (Klonopin), 257–259, 261–262, 265, 277, 284
Clopidogrel (Plavix), 338–339, 412–413, 433, 437, 441, 443, 447
 while on lansoprazole (Prevacid), 432
Closed systems for cell salvage, 497
Cocaine, 308
Cognitive behavior therapy (CBT), 257–261, 263, 278–279

Columbia Advanced Practice Nurse Associates (CAPNA), established, 7
Columbia University School of Nursing (CUSN), 11–27
 curriculum, 48–49
 model of clinical education, 5–8
Communication at admission, 320
Communication styles, 74
Community living of psychiatric patients, 248
Community resources, using, 164
Comorbidities, multiple, 319–324
Competencies
 development phases, 12–14, 26
 established, 8–9
 evaluating, 68–69
 evolution at CUSN, 11–27
 performance objectives, 29–35
Competencies described. *See* details under domains; performance objectives
 performance objectives, 31–35t
Competency-based evaluation, 59
Competency defences example, 44–45
Competency fulfillment, format in case narrative, 484
Complex chronic comorbid conditions, management of, 246–248
Complex comorbid conditions, 357–386
Complications, reducing, 322–323
Complications after surgery, 395–398
Complications of early pregnancy, 366
Comprehensive adult care, DNP approach, 323–324
Comprehensive care
 in chronic illness care, 166
 competencies, 15–26t
 demand for, 9–10
 doctor of nursing practice as provider, 30
Comprehensive cross-site care, 319–324
Comprehensive history, hospital admission note, 320
Computer gaming, 251–264
Concentration, 256
 trouble with, 253
Condoms, 359
Confidentiality rights, 150
Congenital lobar emphysema (CLE), 127–135, 133
Conscientious objection, 497
Consent forms, 220, 497
Conserving costs, 76–77
Constipation medicine, 240
Consultation and education, traumatic brain injury, 108–109
Consultation with medical oncologist, chondrosarcoma, 223
Contingent pregnancy screening, 367

Continuous positive air pressure (CPAP), 427, 441
Contraception, 149–150, 154–155
 emergency, 91
 emergency medication, 96
Contraceptives, oral, 142, 145, 148, 359
Controlled Medication Agreements (CMA), 193
Coordinating services, 319–324
Coronary artery bypass graft (CABG), 389, 434–436
 versus Percutaneous Coronary Intervention (PCI), 434–436
Coronary artery disease (CAD), 432–436
Council for the Advancement of Comprehensive Care (CACC)
 in competency development, 12–14
 creation of, 8–9
Council for the Advancement of Primary Care (CAPC), 8
Counseling. *See also* Education; Education and counseling
 early fetal demise, 465
 factor V Leiden mutation, 337
 quadriplegia and chronic pain, 193, 197, 200, 202
 suspected sexual assault, 91–92
Counseling and education
 complex comorbid conditions, 364–366
 multiple sclerosis, 346, 351
 secondary amenorrhea, 149–152, 154
 traumatic brain injury, 107–108
C5 quadriplegia, 185–210
Crack (illegal drug), 308
Cranial nerve responses, loss of, 403
Craniotomies, 109, 113
Crisis hotlines, 278
Critical appraisals
 example, 43–44
 format in case narrative, 483
Critical Appraisal Tools (CAT), 53
Cross-site care, 319–324
Cryptogenic strokes, 378, 380–381
CT scan (cranial computed tomography), 105–106, 128, 219–221
Cultural beliefs, 106–107
Cultural sensitivity, 323
Currency with new information, 47
Curriculum for Doctor of Nursing Practice, 29–36
Cytosan (Cyclophosphamide), 425

D

Data-driven systems, 69
Date rape drugs, 89
Daughters and factor V Leiden mutation, 337

- Daylight, effect on mood, 297–298
- Death certificate processing, 475
- Death of patient, 233
- Decreased fetal movement, 456–457. *See also* Fetal movement
- Decubitus ulcers, 187–205
- Deep vein thrombosis (DVT), 531–532, 538, 541
 - rates reduced, 538
- Degenerative joint disease (DJD), 533
- Degree requirements, 38
- Delivery
 - infant, congenital lung anomaly, 121
 - stillbirth, 468
- Delusions, 281
- Depression, 246–247, 253–256, 263, 271, 279–280, 307–309, 343–346, 349, 534
 - and bipolar disorder, 277
 - and migraines, 253
 - post-operation, 542
 - postpartum, 473
- Depression medication, 264, 283, 354, 413
- Depressive/manic symptoms, 295
- Desflurane (Suprane), 518, 526
- Developmental base, congenital lung anomaly, 132
- Developmental history, acute bipolar I disorder, 292
- Dexoamphetamine (Dexedrine), 428, 443
- Diabetes
 - self-management, 179–180
 - testing and classification, 176–179
- Diabetes history, ketosis-prone diabetes mellitus, 171, 172–173t
- Diabetes type 1 (DM1), 169–181
- Diabetes type 2 (DM2), 246, 490–491, 531–533
- Diabetes type 1 medication, 183, 184
- Diabetes type 2 medication, 183
- Diagnosis
 - acute bipolar I disorder, 295
 - traumatic brain injury, 106
- Diagnostic review, congenital lung anomaly, 127
- Diagnostics
 - catastrophic brain injury, 394–395
 - traumatic brain injury, 105–106
- Diagnostic strategies, 323
- Diagnostic studies, acute bipolar I disorder, 296
- Diagnostic testing, chondrosarcoma, 219
- Diagnostic test results
 - quadriplegia and chronic pain, 196t
 - traumatic brain injury, 106
- Diagnostic test review, unstable angina, 430–431, 433

Diagnostic tests, unstable angina, 444
Diagnostic ultrasound, 461
Dialysis, mental health disorders in, 247
Diet
 postpartum, 473
 during pregnancy, 366
 during Warfarin (Coumadin) use, 542
Dietary changes, 543
Differential diagnoses, online gaming addiction, 257
Differential diagnosis, 76
Digestive system medication, 415
Digoxin (Digitek), 174, 181
Dilation and evacuation (D&E) *versus* induction, 463
Diltiazem (Cardizem), 414, 428, 446–447
Direct care competencies and performance objectives, 36
Disability, causes of, 246
Disappearance of patients, 280–281
Discharge
 comprehensive care, 321
 ketosis-prone diabetes mellitus, 179
 total knee replacement, 544
 traumatic brain injury, 113–114
 unstable angina, 441–442
Discharge instructions, traumatic brain injury, 113–114
Discharge needs, anticipating, 321
Discharge summary note, early fetal demise, 474–475
Discharge summary notes, in case narratives, 322
Discrepancies in admission reasons, 320
Disease management, DNP role in, 323
Diuretic medication, 182–183, 547
Divalproex sodium (Depakote), 290, 295, 296–297, 302
Divorce, children of, 82
Divorces, 292
Docetaxel (Taxotere), 236
Doctoral level, CRNA programs converting to, 480
Doctor of Nurse Anesthesia Practice degree (DNAP), 480
Doctor of Nursing Practice
 certification of, 9–10
 creation of degree approved, 7–8
 curriculum, 29–36
 evolution of, 3–10
 first graduating class, 13–14
Doctor of Practice Management degree (DPMA), 480
Doctors
 moving out of primary care, 4
 randomized clinical trial (RCT) comparing to RNs, 5–7, 11–12

Docusate (Colace), 236–237, 428
Docusate sodium (Colace), 114, 117, 217
Domain 1. Comprehensive Clinical Care
 Competency 1. Evaluate patient needs
 addressed, 119–120, 169–170, 251–252, 269–270, 282–283, 325–326
 defense, 134–135, 180–181, 264, 339, 524
 defined, 15t
 performance objectives, 31t
 residency log, 60t
 Competency 2. Evaluate health risk
 addressed, 79, 341, 513–514
 defense, 94, 352
 defined, 15–16t
 performance objectives, 31t
 residency log, 60–61t
 Competency 3. Formulate diagnoses, etc.
 addressed, 80, 99–100, 120, 170, 252, 270, 283, 287–288, 305–306, 387–388, 423–424, 453–454, 514
 defense, 94, 135, 180–181, 264, 301, 312, 411–412, 444, 524
 defined, 16t
 performance objectives, 31–32t
 residency log, 61t
 Competency 4. Appraise patient condition
 addressed, 100, 120, 213–214, 357–358, 454
 defense, 115, 135, 233, 383
 defined, 16–17t
 performance objectives, 31–32t
 residency log, 62t
 Competency 5. Care during hospitalization
 addressed, 100, 120, 288, 454, 514, 529–530
 defense, 115, 135–136, 301, 524, 545
 defined, 17–18t
 performance objectives, 32t
 residency log, 62–63t
 Competency 6. Care in sub-acute setting
 defined, 18t
 performance objectives, 33t
 residency log, 63–64t
 Competency 7. Palliative and end of life care
 addressed, 214, 388, 455
 defense, 234, 412
 defined, 19t
 performance objectives, 33t
 residency log, 64t

(remainder truncated for space consideration)